


Roller Garage Doors






- Door slats are made of strong material Resistant to external factors
- With a spherical shape, the door gives greater durability and is greased with thermal poya
- Track used from aluminum or steel and the end of the contain a calf of Rubber for closure.

Light Grey
RAL 7040

Available Color



Light Ivory
RAL 1015



Beige
RAL 1001



Signal White
RAL 9003



Grey Beige
RAL 1019



Light Grey
RAL 7040



Black
RAL 9005

Motor for Roll up Door



Master Lift

- Powerful and quiet DC motor, quick installation
- Push button internal operation
- When closed the motor automatically locks
- Automatic reversing system
- Auto close option can be enabled
- Electronic limit switch
- Ture more stronger than plastic
- Manual release in case of power failure
- Contains LED light automatically lights on + Soft start soft stop
- Photocell is available as option
- Accepts any stand alone receiver 868MHz



Herculift

- Superior Strength and Reliability
- Super Quiet and Smooth Operation
- Affordability and Excellent Value for Money
- Security and Peace of Mind
- Convenience



LiftMaster

- Silent & powerful DC motor with soft start and soft stop
- Self-locking gear system when garage door is closed
- For single double or domestic and light industrial roller doors
- Long range encrypted radio technology
- Energy saving with low standby power
- Electronic "never forgetting" travel distance limits
- Automatic operating force adjustment for UP and DOWN travel
- Meets or exceeds international safety standards including SASO
- Manual disconnect system in case of power failure
- LED lighting
- For doors up to 130kg / 16.5m²

Sectional Overhead Doors



Aluminum Garage Door Framess

Lorem ipsum dolor sit consectetuer elit sed diam nonummy euismod tincidunt laoreet dolore magna aliquam volutpat wisi enim ad minim



Aluminium Garage Door With Fram

Lorem ipsum dolor sit consectetuer elit sed diam nonummy euismod tincidunt laoreet dolore magna aliquam volutpat wisi enim ad minim



Aluminum Garage Door With Clading

Lorem ipsum dolor sit consectetuer elit sed diam nonummy euismod tincidunt laoreet dolore magna aliquam volutpat wisi enim ad minim



Steel Garage Door Sandwich Panel

Lorem ipsum dolor sit consectetuer elit sed diam nonummy euismod tincidunt laoreet dolore magna aliquam volutpat wisi enim ad minim

Motor for Sectional Overhead Doors

■ Motor With Rail

Max Pull Force	800N
Rated Power	400W
Volts	230-240 Volts AC-50Hz Only
Drive	Chain with two-piece trolley on steel rail
Voltage Motor Supply	24 VDC



Max Pull Force	800N
Rated Power	400W
Volts	230-240 Volts AC-50Hz Only
Drive	Chain with two-piece trolley on steel rail
Voltage Motor Supply	24 VDC



Max Pull Force	800N
Rated Power	400W
Volts	230-240 Volts AC-50Hz Only
Drive	Chain with two-piece trolley on steel rail
Voltage Motor Supply	24 VDC



■ Direct Shaft Side Motor

NICE SOON MOTOR : up to 20 SQM

NICE SUMO MOTOR : up to 35 SQM



